

2008 Fraval S2 ECO



Machine Details

Standard Equipment	qty. 2
--------------------	--------

- 800mm banding table
- Teflon lined, 1Kg glue pot with quick release
- Coil banding in veneer, melamine paper, PVC/ABS up to 3mm thick
- Pressure Roller Unit – 1 motorized roll, 2 idle conic rolls with 3 pre-loaded springs
- End trimming unit consists of 2, .3Hp motors. Can be tilted from 0° to 10°
- Top/Bottom Trimming Unit consists of 2, .5Hp motors. Can be tilted up to 30° depending on thickness of edgebanding
- Buffing Unit consists of 2, .12Hp motors for polishing top/bottom edges
- Automatic Glue Temperature Reduction for reducing the glue temperature during stand-by use
- Nebulising Unit for spraying a thin anti-adhesive liquid on the buffing wheels
- Voltage – 230/400 V, 50/60 Hz, 3 phase

THERMWOOD

Corporate Headquarters

PO Box 436 Dale, IN 47523

(812) 937-4476 • 800-533-6901 • Fax (812) 937-2956

2008 Fraval VSB



Machine Details

Standard Equipment

- 800mm banding table
- Teflon lined, 1.3 kg glue pot
- Coil banding in veneer, melamine paper, PVC/ABS up to 3mm thick
- Automatic edge feeder (rubber roller)
- Electronic digital millimeter counter for automatic management of the PVC shearing unit
- Automatic glue temperature reduction
- Voltage – 230/400 V, 50/60 Hz, 3 phase

THERMWOOD

Corporate Headquarters

PO Box 436 Dale, IN 47523

(812) 937-4476 • 800-533-6901 • Fax (812) 937-2956

2008 Fravol VSR



Machine Details

Standard Equipment

- 2, 12,000 RPM motors for trimming veneer, melamine paper, PVC/ABS up to 3mm thick
- Vertical copying devices and 1 disc-type copying device between the motors
- Electronic digital millimeter counter for automatic management of the PVC shearing unit
- Automatic glue temperature reduction
- Voltage – 230V, 50/60 Hz, Single phase

THERMWOOD

Corporate Headquarters

PO Box 436 Dale, IN 47523

(812) 937-4476 • 800-533-6901 • Fax (812) 937-2956